



Solar Sensor Flood Light

Thank you for purchasing this Solar Sensor Flood Light from Streetwize Garden. The instructions written below provide you with guidance on how to get the best use out of the product. We highly recommend reading these instructions before using the product.

Charging & Operation


This flood light comes with a solar panel. During the day, the panel absorbs solar energy to charge the included rechargeable battery. The light is equipped with photoelectric sensor and radar sensor, which will automatically light up the light when it detects movement at night.

Before using this product for the first time, we advise that you fully charge the battery by placing the light under direct sunlight for a full 24 hour period.

1. There is an ON/OFF switch at the back. Push the switch to the “ON” position. Then position the light in a sunny location.
2. Charge the solar product by placing it under direct sunlight for at least 8 hours.
3. The light will work automatically. It will charge under direct sunlight during the day time and illuminate at night.

Assembly Instructions

1. Remove the protective film from the solar panel.
2. Install the product on the wall. It is recommended to install the height between 3 and 6 meters.
3. Next, adjust the Angle of the solar panels. We recommend an angle of 35 degrees. (Fig.1).
4. Secure the screws at both ends. Install the security light in an area where it can get direct sunlight.
5. Leave the switch in the “ON” position.
6. Place the solar light in a location that is away from other light sources at night, such as street lights. Artificial lighting may prevent the product from turning on automatically at night.
7. Duration of solar light illumination depends on the solar product’s level of sunlight exposure, geographical location, weather conditions and the hours of daylight.



Working Modes

This security light is equipped with 3 working modes. Tap the silicone button area to switch the working mode.

- **Mode 1:** When a person is detected, the light will automatically turn on; if a person stops being detected, the light will remain faint (brightness 760Lm/50Lm)
- **Mode 2:** Continuous on (200mA), working time over 6 hours.
- **Mode 3:** When a person is detected, the light will automatically turn on; if a person stops being detected, the light will turn off (760Lm).

Maintenance & Troubleshooting

1. Make sure the switch is set to the “ON” position.
2. Keep the solar panel clean.

Health & Safety

- Do not use the device if the insulation or bulbs are damaged.
- Never allow the product to come into contact with excessive heat or naked flame.
- This product is not intended for use by children or individuals with reduced physical, sensory, or mental capabilities unless supervised by a responsible adult. Small parts may present a choking hazard. Always keep out of reach of children.
- When disposing of this product, please do so in line with your local authority guidelines.

WEEE



The WEEE symbol  on this product means that this unit should be ethically dismantled or recycled to minimise environmental impact. Please check with your local authority for more information.

Technical Specifications

Product Name	Solar Sensor Security Flood Light
Supplier Code	GW617
Quantity	1
Battery	1 x 3.7V 1500mAh LFP Rechargeable
Size	130 x 90 x 32cm
LED	45
Solar Panel	5V 1.8W
Sensor distance	5-8M



Streetwize,
Suite GA, Marsland House,
Marsland Road, Sale M33 3AQ

For Product Support:
support@streetwize.co.uk

EU Regd. Address:
Ace Supply Co (Europe) Ltd.
D02 A098, Republic of Ireland

www.streetwize.co.uk